

OUT-STANDING AIR QUALITY SOLUTIONS

Help you build and maintain a healthy indoor environment

Multi-sensor monitors for indoor air quality

Tongdy sensing technology, located in Beijing China, has been focused on air quality detection and control for 15 years.

With the strong product development and design capabilities, the air quality monitors of Tongdy have been used in a lot of projects around the world.

Our global customers



Air quality monitors for business

We provide air quality monitors in business level for Indoor, in-duct and outdoor air quality detection. They are working together for all round and accurate analysis of indoor air quality, quantitative assessment of indoor air pollution.



Multi-sensor Monitor Page 2/10

Why "Tongdy Multi-sensor" ?

Exclusive innovative calibration algorithm

Proprietary technology, the effective calibration method to support higher data accuracy in different environments

Unique professional multi-sensor module with flexible selection of sensing parameters

Special multi-sensor module with the sealed cast aluminum structure and up to six sensors inside

Continuous R&D investment and product quality control

Tongdy continues to invest in R&D and services to ensure the reliability and innovation of air quality products

Real-time gathering data and analyzing historical data improves and optimize your indoor air quality

"MyTongdy" data platform will help you reading and analyzing data of your air quality on PC or mobile APP

The expert of air quality monitoring

Tongdy has 16 years experience of air quality monitoring and provides commercial grade air quality monitors and data platform

Multi-sensor Monitor Page 3/10

Our Multi-sensor monitors with up to ten sensing parameters selection

Multi-sensor Monitor Page 4/10



MSD

Indoor Air Quality Monitor

PM2.5 PM10 CO2 TVOC CO Temp.&RH Ozone or HCHO





















LED Tri-colored lights



Cloud-based











PMD

In-Duct Air Quality Detector with up to Eight Sensors































Reset B grade





Reset B class



Cloud-based



Special pitot tube









Page 7/10

TF9

Multi-sensor Monitor

Outdoor Air Quality Detector







TSP-18

Indoor Multi-sensor Monitor



















Convenient installation















Page 8/10 Multi-sensor Monitor



EM21

Wall embedded or wall surface mounting Indoor Air Quality Monitor









PM2.5 CO2 TVOCs HCHO Temperature Humidity







Optional





Wall-Embedded or wall mounting



Reset B class









Tri-colored lights

WiFi

Ethernet

RS485

Multi-sens or Monitor Page 9/10












	Indoor	In-duct	Outdoor	Indoor	Indoor
Installation	Ceilingmounting/ wall mounting	Duct mounted	Pole mounted or outdoorwall mounting	Wallmounting	Wall embedded Mounting or Wall surface mounting
Gas sensor	PM2.5, PM10, CO2, TVOC, HCHO, Ozone Temperature and Humidity	PM2.5, PM10, CO2, TVOC, HCHO, CO, Ozone, Temperature andHumidity	PM2.5, PM10, CO2, TVOC, HCHO, CO,NO2 SO2, Ozone Temp. & humidity	PM2.5, CO2, TVOC,Temp. and Humidity	PM2.5, CO2, TVOC, HCHO, Temperature andHumidity
Wi-Fi				•	
Ethernet RJ45	•	•	•	•	•
RS485 (BACNet MS/TP)			•		
RS485 (Modbus RTU)	•	•	•	•	•
Extra RS485					
Power Supply	12~28VDC 18~27VAC or 100~240VAC POE switch power supply	12~28VDC 18~27VAC or 100~240VAC POE switch power supply	12-24VDC (connect with a 100~240VAC/1A power adaptor)	24VAC±10%, or 18~24VDC	12~28VDC/ 18~27VAC, 100~240VAC PoE switch power supply
Dimension	Length:130mm Width:130mm Height45mm	Length: 180mm Width: 125mm Height 65.5mm	Width: 190mm Total Height 362~482 mm	Length: 94mm Width: 116.5mm Height: 36mm	Length: 91.00mm Width:111.00mm Height 51.00mm
Weight	400g	850g	2.35kg~2.92Kg	170g	210g
Cloud storage					

Page 10/10 Multi-sensor Monitor

User friendly and professional data platform "MyTongdy"

Your benefit from "MyTongdy"

- Gathering real-time data of air quality
- View and download history data and curves



Multi-sensorMonitor Page 11/10

Contact Contact us to learn more about our air quality monitors and data service info@tongdy.com www.iaqtongdy.com **%** (+8610) 59738931/32 O Building #8, No.9 Dijin Rd, Haidiian District Beijing 100095, China